

Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

and closely dernied at base, one deficion al afterest outside the orivele, love spin, starter upper ones weaken; tentel spine very stout, subulate slightly received. all spring 5-7 line long - 1217 The plant of ran not Shingwif Son ny M. Schinus, van and rentreli paulse receive ; - only the upper spice are weaked se shortest, in my plant Congest main. cephelophorn S. Sych = Melocacte, memilla. Leniglebon, depreme head 3 inche, or more in d'ameler Areola ovel. In principal spine, laterity an advitione 88 Stender inferior spine, epper part of anola with 6-8 smaller fascion lated spines, the lower our of shih is of soutien, alment as lange as the other 000 spins and closes the write all the Their some she bullen of beach smolly oupressed, but dagalan , Wool on Jacon arcola

0 1 2 3 4 5 6 7 8 9 10


Copyright reserved


GARDEN

MISSOURI
BOTANICAL
GARDEN

Twisted at rushed. - Comparder of seed be disting ich for M. pusilly. Mispharolats Haf Paris (ex Calala) 10-11 mlie stift spips, satte egue John Life you oner with ship; center In 2 m sometime none a long on shorter the the offen Notes Ex Coll Fick Lan 1857 Man. sadians a stout sperieur semilar i habit to M. compett, but more oval and with longer tabardes, sperker on an ovel and 18-28 - arcola porles espectos porterios Most spines in a Hosely January compressed all base local the arcola, posterior to the other typer spiky somewhat farrirelet. one almost jutes. on all spray The sign of servere hours land Mam. comisera s. implexidoma Auberriles oval, arrola alaure District sightly recount, bulbar, I compress MISSOURI

copyright reserved CIII GARDEN






MISSOURI BOTANICAL GARDEN Mam. michelle men Terete telementer, 21/4-3 Cin log! 25-30 soutie spin = one series 3-1/2 line top; 2 provide state prints /2 lin long apparell met en menly allies to m. mitromenis! hit at man Sphantnika vera, sprins briskly white MISSOURI

copyright reserved

cm

BOTANICAL

GARDEN



0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

M. Salue Dyckium S. Grunen, same spirie As That name 2 on 88 of spines, just dronloping only & sadial spines, or in a little older mes I måil an one weak putul one. MISSOURI

copyright reserved

cm

BOTANICAL

GARDEN

Manni Clasic conviden a smaller form from Montery with 1-3 Black stout out the spring & 14 savis om white, tippe with black, large speri- for Sand har 15-18 mg, one were That we con much on .-Jes for et latter! black, grandan! Lagen mi. spins, upaals. Cuttie. sper- lægert man. I reports contra Ch on men rentré spine donner. Me fyrnare the M. pyrnasmuth for Odeherra, 5 stort nur spiker i dent so medie veg uneque spins formalates above. - A. Comphanth Theretes usually very short Thick, form; « Kuniter to M. rouget - or men elongito, approaching to comferm. note, med at Odselgee, Sel manh 1857 

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved



sobutions fadation Can'not love of jutili singulo eneto lazione, sobertione Suhaloning elengation theter. Tampiro kolchares old talendes with suffered areola almost on top; your our with smalle or lange cercole (It Carlone flow bear)?) much below the print - back He with a big Tooth nasenter Throther specience for Showing has beginning mile andre near the port. Checomit Copolar of spring, the lowest reflex & Milliffeth and much the longers Echeronte Scheen 20 21 mobil Thetas upper ours longest 3 mm centre spring af twisces by as the low our or as the lapper MISSOURI

copyright reserved cm

BOTANICAL GARDEN Note made at & Brelger manh 1854 Ech worth, antonimes Bally Juday, eja Comphaeth, siled by hora at, San Antonin de Tola, Mexico, 1221 Ovatus (12 x 2") tubernelis fereticus rules sulcatis inouvis imbrication (13/21), 8 spiraliber distinctioniber aculais extendentes 13-15 albert's setaceir; inferiority brevioniber (4-5") serpenontes fasorialeter longioniber 8-6" /si-! sitenonber 6-7 sobestionber ndantely Basi nodulosis, rentrati singalo erceta longion robus


0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN

Exter | Similar Long Well of Chemists monday Shank Apriloppeman, to bill upon her some time Today, My Hements Months hing beef and bullen und aleerated with a Serens Some The as, Ned min of to 1231 the that the

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

MISSOURI BOTANICAL GARDEN Man. Potts: Body south of Dis grade and guerrero sums to be my toberoulose, cooky ovale totales 20-20 white model opins; for asheopins, tippe with brown, the 3-pp ones longer than the radio opin the lower one of legs shorte.

Besti Manh 1857



MISSOURI BOTANICA BAPERS GEORGE ENGELMANN PAPERS



MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS




MISSOURI BOTANICAL GARDEN


262 (222 11 262 Castanie 9 12 000 12 12 4200 60 minke 6 Gor make 2 253 Bean Mars 1 254 Oden Lake -5 245 Wiegand 12 /2/ 7 269 Tamm 8 270 bbllig 4 26- Tame p Chin 5 270 6 deis 10 272 Sambaj 13 Among 6 271 Olees-7 272 Samely 4 274 Gisle -1 275 Tipherler Min 14 - Backer mid Lesyske 9 276 Elbran 10 Fanny 3 277 Warnen

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

MISSOURI BOTANICAL GARDEN notes made at & Poselgeis Deli, March 1857 Offoris, Sanderis, Sanderis 10 med 1p. He startet Seven wed; 3 reatel hooks, the startest below as hooker down








h. II M. Echinus is a stright sping of M. Salinuri, Brolg. Gartugeis. Anthe Sperimen shik Dorde sefente M. Cornigue has 14-20 mdie spike, opported, at one rautil one sulle sermed ett. manible some not es much empressed. M. Comigen for mexito, ald form, long i gand is one oglinder, with very short spandle broad state or almost hem spherite.

12-14 sudie spring, rental spens start, rerun or absent, shen it sår morang. Very near my rompaets but rylandis 1336 1. compacta 2. comifem & B. medians 3 Chiny by Spectitueta 4 Selymondes (Schrausi MISSOURI

copyright reserved cm





•

Golleil. Boselg. Ekinometus Salineusis Objelg. original sproimen very much leke my Man. Chians and med incurs macuille comprend, totangel cons adpremed; radse spring of able 10 lover ones much stoffer Than Upper ones; - reather spiles 4; or 3-4 upprones arrest implexed with the uppro sadil ones; lovist me stouter possely sabata somme recume Why ran that not be my M. ralount and sty not me solymonder? all spring ballooke at bake. anthe specimen while Dosely refer to M. Cornigen has 14-20 mdie spile, approve forribed, a done rantel one subility serumel et. manible some ndes mæch emperemen av adpressed. M. Comigen for mexito, ald form, long i gand is out of with very short spandle brown state or almost hem spherite.

12-14 sudie spring, outle spen stat, regan or obsent, shen it sæ morang. my roupeets but rylands 126 1. compacta 2. comifem & S. medians 3 Chinny by spectituets 1. Sollemondes / Schauses MISSOURI


BOTANICAL copyright reserved cm GARDEN

Din gerffiskung fægels tisme gelfe di Hyisang de Jenington Manta in der læfsten frefram stille f and fante fild in li Guingan grøn Megicom fin zu skun Joff zon Migitar bis ja skun Hillen Mann fin forfullen fill in the griffen ilm Hughtige and diff Mille abn difam Munn Gingander dorug Lanchung befort firm grike fin Lifantafur zirbright Egy Jim Let 2 furfun j fleren jaben for sein eli freshown unfor locale Unter: furfucegan from This lige mus End Ster forban and and nergadde Bifface zon Certain in San for I the flower Gradu de Maring MISSOURI POTANČAL GARDEN GEGRGE ENGELMANN PAPERS MISSOURI

copyright reserved cm GARDEN Man radium globar, exactly like my Mipertinate, arrolee dlong, spine, ell military, 14-15, Home what recurred tomperant at once, of menty the upon ones promise a little longer egent contilly and Their oran. Jordan sprom in a Anoth specience has 18-20 species, and a few straight That restant ones lossy, nother wait 1227 man Saliners of glober - out, to but former affects compressed, indicate of the many of the the lawn much toler in shorten to the fring one stright impleated with the streets vill on, - love on the file of Tetante. Salines (Literan devide 1) Very much like my Celvine. Upper and March munite lover as were explanded, then the Consu

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved



Bizinal sperimen ! GO. Selm Man. Soffsi Jan. 1857 36 alund egent stit stiff histly extension spines, 2/2-3 ling log; in an obovete, crowle prot below the shepe of the arrola about equilibrate or oblandonly upper one of the shipter cities of the appear one stoutent longest Somethat control of the plant, the 2 next as the lowered just spirit an next in Rought, the 4 latent own shorter, sell these & spiks 3-4 him los, all restrict Tuburly oval with constable work ith axilly apparelly somewhat only On the lower oglindir part of The plant the tobecorder are skuvelled up, and often hem a for reme 5 spine, and among Then mostly the upper centre spins affine e njenas. In your plats of I alment (B) (B) the same number of radice spect 7, mult quel munder, 4 or 6. He approne is always the started a Consent. one of Brier Salan Spering cour laballed: M. Polisi another one was mixed with M. Strobeli forming

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN

Minu strobits formis Aubersles ovul, only, perstest, with about wood i the axills and growie, pointed below. 12:68 extern spins about 25 latered our, longert form om shorter uppromy much more steading. pad-spins 2-4 lin log; white straight Mileson spine, in my sperier. always 4 Jupper omes konger lower om stouter skort Tiffer, pomet or deflexe, upp one 3-4 town ip-I ling long. Sisteriotie of M shobiliforming M. 0245: M. shrailif M. 1845. 7-6. conty Luburer soften 20. 1/2. later much longer the flowers jud. sp. alemel egeme and experilly you sent spromer tout at pour one Frank, but hater m. Attobet formir is ny M. Luberrulasa GEORGE

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

MISSOURI
BOTANICAL
GARDEN

